

Message

---

**From:** Herman, Matthew T.@Waterboards [Matthew.Herman@Waterboards.ca.gov]  
**Sent:** 11/2/2020 10:25:05 PM  
**To:** Mues, Pascal [Mues.Pascal@epa.gov]  
**Subject:** FW: Eureka Docs  
**Attachments:** 20200702 BCResponse to RWQCB Ammonia CommentsV2.pdf; Att2-Effluent Mixing Draft TM 2019-11-25.pdf; Regional Board Comments on Eureka ERWWTP Evaluation of Ammonia Toxicity Technical Memorandum dated November 25, 2019

Pascal,

Here are the three documents associated with Eureka's Ammonia modeling. Sorry about the delay in getting these to you. The document Att2-Effluent Mixing Draft TM 2019-11-25 is what we need to primarily look at now.

Matt

---

**From:** Herman, Matthew T.@Waterboards  
**Sent:** Monday, November 2, 2020 2:19 PM  
**To:** Moore, Heaven@Waterboards <Heaven.Moore@Waterboards.ca.gov>  
**Subject:** Eureka Docs

Matthew Herman  
Water Resource Control Engineer  
North Coast Regional Water Quality Control Board  
5550 Skylane Boulevard, Suite A  
Santa Rosa, CA 95403

Desk Phone No.: (707) 576-2683  
Fax Phone No.: (707) 523-0135  
Email: [Matthew.Herman@waterboards.ca.gov](mailto:Matthew.Herman@waterboards.ca.gov)

*The governor of California has issued a statewide shelter in place order due to the COVID-19 emergency. The Water Boards are continuing day-to-day work protecting public health, safety, and the environment. However, most staff are working remotely and we continue to check email and voicemail regularly. Thank you and stay healthy and safe.*